



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Kuzemchak et al. (TI-32443) Conf. No. 6142

Serial No. 10/017,777

Group Art Unit: 2192

Filed: December 13, 2001

Examiner: Vo

For: Method and Tool for Verification of Algorithms Ported From One Instruction Set

Architecture to Another

APPELLANTS' BRIEF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

Appellants respectfully present their brief in support of their appeal of the final rejection of claims in this case. The Notice of Appeal was filed on August 3, 2005, as indicated on the date of the automated facsimile receipt from the Patent and Trademark Office.

Real Party in Interest

The real party in interest in this application is Texas Instruments Incorporated.

Related Appeals and Interferences

Related copending application S.N. 10/022,972 is currently on appeal. Its claim 1 includes method steps similar to method steps that are preset, inter alia, in claim 10 of this application. This claim 1 is under final rejection, and is on appeal.

Status of the Claims

Claims 1 through 3, 6, 8, 10, 13, and 15 were finally rejected in the Office Action of May 3, 2005, and are the subject of the present appeal.

Claims 4, 5, 7, 9, 11, 12, 14, and 16 stand allowed.

Status of Amendments

An amendment was presented after the final rejection, on August 3, 2005, directed to formal matters regarding claims 10 and 16. This amendment of August 3 has been entered.

A Terminal Disclaimer is filed in this application contemporaneously with this Appellants' Brief, relative to copending related application S.N. 10/022,972, to remove obviousness-type double patenting as one of the grounds of rejection in this application.

Summary of the Claimed Subject Matter

The claimed subject matter is directed to a method and system of verifying the equivalence of two software programs, executed by hardware systems that operate under different instruction set architectures. A first program is executed at source hardware (107) with one instruction set architecture, such as under the control of emulation hardware (105), and a second program is executed at target hardware (108) with a different instruction set architecture, which may be under the control of another instance of emulation hardware (107). A general purpose computer system (100) may be provided, with software development systems (102) corresponding to the source and target hardware, to direct the execution of these programs.² The inventive method and system collects sets of events from the execution of both programs on both hardware realizations, and determines equivalency upon reconciling the sets of events relative to one another (or indicating non-equivalency if an unreconciled event is discovered).³ Examples of the reconciling of such events include the identifying of "unreconciled" states generated by either the source or target hardware, such states including writes to an accumulator, address

¹ Specification of S.N. 10/017,777, page 4, line 23 through page 5, line 5; Figure 1. ² Specification, *supra*, page 4, line 23 through page 5, line 5; Figure 1.

register, or to memory, and a comparing of unreconciled states between the source and target executions.⁴

The specification points out numerous important advantages of the claimed subject matter, including its providing of automatic verification of a software application ported to another instruction set architecture by reporting discrepancies at or near the instruction at which the source and target versions vary.⁵

Grounds of Rejection to Be Reviewed On Appeal

The rejection of claim 1 and its dependent claims

Claim 1 was finally rejected under §102 as anticipated by the Guerra et al. reference⁶. The Examiner asserted that the Guerra et al. reference discloses the executing and collecting steps, with reference to ISA and RTL models and a "co-verification" model.⁷ The Examiner also asserted that the Guerra et al. reference teaches the determining and indicating steps, by reference to its co-simulation, and waveform and software debugging.⁸

In response to Appellants' subsequent arguments,⁹ the Examiner further asserted that the Guerra et al. reference:

... discloses the hardware execution structures, the first simulator as the ISA DSP and second simulator as co-verification. Each model/version is attached to its hardware structure, e.g., ISA mode representing a source hardware is run against RTL model (co-verification) representing target hardware.¹⁰

The dependent claims were rejected based on additional findings of teachings in the Guerra et al. reference applied against the limitations presented in those dependent claims.

³ Specification, *supra*, page 5, line 24 through page 8, line 5; Figures 2 and 3.

⁴ Specification, *supra*, page 6, line 22 through page 7, line 16.

⁵ Specification, supra, page 4, lines 3 through 10; page 21, lines 15 through 25.

⁶ Guerra et al., "Cycle and Phase Accurate DSP Modeling and Integration for HW/SW Co-Verification", ACM (June, 1999), pp. 964-69.

Office Action of May 3, 2005, p. 4.

⁸ Id., citing Guerra et al., supra, Figure 7.

⁹ In response to Appellants' arguments in the Amendment Under Rule 116 of August 3, 2005.

¹⁰ Advisory Action of September 7, 2005, continuation sheet..

The rejection of claim 10

Claim 10 was finally rejected under §102 as anticipated by the Guerra et al. reference as applied against claim 1, and additionally because of the Examiner's finding of the detailed recitation of the collecting steps to also be disclosed by the reference. More specifically, the Examiner found the Guerra et al. teachings regarding its pipeline and branch prediction meet the claim steps of determining, calculating, finding, computing and reporting, which are involved in finding and reporting effective addresses of instructions in a pipeline.¹¹

The rejection of claim 15

Claim 15 was finally rejected under §102 as anticipated by the Guerra et al. reference, on the same grounds as claim 1.

Argument

It is axiomatic that a finding of anticipation, under §102, is established only if all the elements of the patent claim are identically described, either expressly or inherently, in a single prior art reference.¹²

Claim 1 and its dependent claims

(a) The reference does not teach source hardware and target hardware

Claim 1 requires the executing of a first program at source hardware operating according to a first instruction set architecture, and the executing of a second program at target hardware operating according to a second instruction set architecture. Appellants submit that claim 1 and its dependent claims are novel over the Guerra et al. reference because the reference fails to disclose these steps.

The Guerra et al. reference is directed solely to a simulation system for modeling and verifying software for a DSP.¹³ It is clear from the tenor of Section 2 of the Guerra et al.

¹¹ Office Action, supra, page 7, citing Guerra et al., supra, page 966, section 2.3, Figures 2 and 3.

reference that its method is applied in the modeling, and system simulation, of a particular DSP.¹⁴ It is the results of this model that are analyzed, or compared against the results of other models for that device, in performing the verification method disclosed in the Guerra et al. reference.¹⁵ Examples of models compared in the Guerra et al. reference include an instruction set architecture (ISA) model against a gate/RTL model. 16

However, the Guerra et al. reference nowhere discloses that its method is performed by source and target hardware that execute first and second programs, much less in a manner required by the collecting, determining, and indicating steps of the claim. Instead, the Guerra et al. reference discloses but a single hardware system ("a 296 MHz Sun Ultra2 with 2 Gigabytes of RAM"¹⁷) that runs both models. There is simply no disclosure whatsoever from the Guerra et al. reference of the executing of a first program at source hardware, and the executing of a second program at target hardware. Models are not hardware, they are instead software; as such, two distinct models are not two distinct hardware systems.

The Examiner asserts that the claims do not require executing of the first and second programs in two different systems. 18 Appellants submit that claim 1 and its dependent claims in fact do require such executing. Specifically, claim 1 requires the step of "executing a first program at source hardware", and the step of "executing a second program at target hardware". The source hardware and target hardware are clearly expressed, in the claim, as distinct from one another.

The Guerra et al. reference falls short of teaching the executing steps of claim 1 and its dependent claims in another respect. Claim 1 clearly requires that the source hardware operates according to a first instruction set architecture, and that the target hardware operates according to a second instruction set architecture. Interpretation of the plain language of this claim would

¹² Verdegaal Bros. v. Union Oil Co. of California, 814 F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987); Richardson v. Suzuki Motor Co., 868 F.2d 1226, 1236, 9 USPQ2d 1913, 1920 (Fed. Cir. 1989); MPEP §2131.

¹³ Guerra et al., *supra*, page 964, Abstract.

¹⁴ Guerra et al., *supra*, page 965-67, §2 (*i.e.*, §§2.1 through 2.4). ¹⁵ See Guerra et al., *supra*, page 968, §4.1.

¹⁶ Guerra et al., supra, page 964, right-hand column, ¶3.

¹⁷ Guerra et al., supra, page 968, last paragraph.

indicate that these first and second instruction set architectures are distinct from one another. However, the Guerra et al. reference refers to only one instruction set architecture (ISA), namely that of the DSP architecture being verified. But the reference is asserted as teaching, and in fact only teaches, the verification of this ISA model against a gate/RTL model (or mixed-level VHDL model). As known in the art and as evident from the reference itself, the RTL model is a "hardware" model, and does not correspond to an "instruction set architecture". Nowhere does the reference disclose the verification of model results between first and second instruction set architectures (ISAs); the reference only discloses the single ISA model that is verified against the hardware model. As such, the Guerra et al. reference also unambiguously fails to disclose both source hardware operating according to a first instruction set architecture, and target hardware operating according to a second instruction set architecture, as required by claim 1. Accordingly, Appellants submit that the Guerra et al. reference fails to disclose the executing steps of claim 1 on appeal.

(b) The reference does not teach the determining and indicating steps

Appellants submit that the Guerra et al. reference falls further short of the requirements of claim 1, in that the reference fails to disclose the determining and indicating steps of claim 1. Specifically, claim 1 requires the additional steps of determining if the first set of events is equivalent to the second set of events by reconciling the first set of events and the second set of events, and of indicating the first program is not equivalent to the second program if an unreconciled event is discovered during the step of determining. Neither of these steps is taught by the reference.

As mentioned above, the Examiner refers to "co-simulation as disclosed by this reference, debugging, showing waveform and software debug of Figure 7"²⁰ as teaching the determining and indicating steps of the claim. In a previous action, the Examiner asserted that the last four lines of the Abstract of the Guerra et al. reference, and also its section 3.4, teach

¹⁸ Advisory Action, *supra*, continuation sheet.

¹⁹ Office Action, *supra*; Guerra et al., *supra*, page 964, right-hand column; page 965, left-hand column, first two paragraphs.

these steps.²¹ However, there was no assertion made by the Examiner of whether or how the reconciling of events of the two sets of events, or the discovering of unreconciled events, are taught by the reference. As such, we are left with examining the cited locations of the reference to determine whether these steps are taught.

The last four lines of the Abstract of the Guerra et al. reference make no reference to reconciling of events, but instead refers to the performance of "[t]he use of co-verification models in place of the RTL".²² The "Debugging" section 3.4 of the reference merely provides a general discussion of debugging, *e.g.*, "breakpoints can be placed within the co-verification model to step, break, and perform all other standard software debug operations".²³ And the cited Figure 7 of the reference is merely a screen shot "showing waveform and software debug" – it is far from apparent how this portion of the reference in any way approaches the determining and indicating steps of claim 1.

As noted above, it is axiomatic that a finding that a claim is anticipated, under §102, is proper only if all of the claim elements are identically described, either expressly or inherently, by the reference.²⁴ The Examiner has failed to provide any specific teaching in the reference of the determining and indicating steps of claim 1, but instead has only asserted that debugging, in a general sense, meets these steps. Appellants submit that the finding by the Examiner falls short of that required under the law for a proper anticipation rejection, and also submit that the Guerra et al. reference in fact does not teach the determining and indicating steps of claim 1.

(c) The rejection of claim 1 is in error

For these reason, Applicants submit that the final rejection of claim 1 and its dependent claims is in error, and that these claims are in fact novel over the Guerra et al. reference. Reversal of the final rejection of claims 1 through 3, 6, 8, and 13 is therefore respectfully requested.

²⁰ Office Action, *supra*, page 5.

²¹ Office Action of August 26, 2004, page 3.

²² Guerra et al., *supra*, Abstract.

²³ Guerra et al., *supra* page 968, section 3.4.

Claim 10

(a) The reference does not teach the determining and indicating steps

Similarly as claim 1, discussed above, claim 10 requires the determining of whether a first collected set of events created from the executing of a first program is equivalent to a second collected set of events created from the executing of a second program, and the indicating that the programs are not equivalent if an unreconciled event is discovered during this determining step.

And for the same reasons as discussed above relative to claim 1, Appellants submit that the Guerra et al. reference fails to disclose these determining and indicating steps. As discussed above, the Examiner provides no assertion of whether or how the reconciling of events of the two sets of events, or the discovering of unreconciled events, are taught by the reference, but merely cites certain locations of the references in connection with "debugging", or "calculating", or other generalized activity. And also as discussed above, the portions of the reference that were cited by the Examiner as teaching the determining and indicating steps, in fact do not teach those steps. Nor does the remainder of the reference disclose these steps.

Appellants therefore submit that the finding by the Examiner falls short of that required under the law for a proper anticipation rejection, and also submit that the Guerra et al. reference in fact does not teach the determining and indicating steps of claim 10.

(b) The reference does not teach the specific steps comprising the collecting steps

As mentioned above, claim 10 further recites specific steps that comprise the steps of collecting a first set of events and collecting a second set of events. These specific steps including the calculating the current effective address delay of an instruction in the pipeline, finding that a valid effective address is available based on that current effective address delay, computing the effective address if a valid effective address is not available, and reporting the effective address.

²⁴ Verdegaal Bros., supra; Richardson, supra; MPEP §2131.

The Examiner refers to the handling of conditional branch instructions²⁵ in the reference as teaching these additional steps of claim 10. Appellants respectfully submit that this portion of the reference has no relation to these steps of claim 10. That portion of the reference simply refers to the delaying of interrupt handling if a conditional branch resides in the processor pipeline at the time of an interrupt.²⁶ More specifically, this portion of the reference discloses that, in the event of an interrupt occurring with a conditional branch in the instruction fetch pipeline stage, the interrupt is delayed by one instruction cycle so that a "delay slot" instruction is executed before the interrupt is serviced, permitting the target address of the branch to be used as the return address from the interrupt routine.²⁷ However, the Guerra et al. reference in no way teaches the calculating of any effective address delay of an instruction, nor the determining of whether a valid effective address for that instruction is available based on that effective address delay, nor the computing of an effective address if a valid effective address is not available, all such steps required by claim 10. This complete lack of correspondence of the Guerra et al. reference to these steps of claim 10 is further evident from the absence of any specific assertions by the Examiner that the reference teaches the features of "current effective address delay", "valid effective address", "computing the effective address", all as present in claim 10.

Appellants submit that the finding by the Examiner falls short of that required under the law for a proper anticipation rejection, and also submit that the Guerra et al. reference in fact does not teach these steps of claim 10.

(c) The rejection of claim 10 is in error

For these reasons, Applicants submit that the final rejection of claim 10 is in error, and that this claim is novel over the Guerra et al. reference. Reversal of the final rejection of claim 10 is therefore respectfully requested.

 $^{^{25}}$ Guerra et al., *supra*, page 966, right-hand column, section 2.3; Figures 2 and 3. 26 Id.

²⁷ Guerra et al., *supra*, page 966, right-hand column, last paragraph.

Claim 15

(a) The reference does not teach the first and second microprocessors and first and second emulation hardware

Claim 15 is directed to a digital software verification system that comprises a general purpose computer, in combination with first and second microprocessors that are each for executing application programs. The claimed system further requires first and second emulation hardware, coupled between the general purpose computer and the first and second microprocessors, respectively. The claim further recites that the first emulation hardware controls the operation of the first microprocessor according to a first instruction set architecture, while the second emulation hardware controls the operation of the second microprocessor according to a second instruction set architecture. The general purpose computer is further recited as programmed to perform a method for verifying equivalence of a target application program to a source application program.

No specific assertion was made by the Examiner regarding whether these specific structural elements are taught by the Guerra et al. reference. Rather, the Examiner asserted that the "VHDL environment, as seen in Pages 964-965, Introduction, and Section 2, Processor Coverification model, and Figure 5" disclose these structural elements.²⁸ However, it is clear from these portions of the reference, and indeed from the reference in its entirety, that there is no disclosure of the combination of a general purpose computer with first and second microprocessors, and first and second emulation hardware as claimed. Rather, the Guerra et al. reference discloses but a single hardware system ("a 296 MHz Sun Ultra2 with 2 Gigabytes of RAM"²⁹) that runs both of its models. There is simply no disclosure whatsoever from the Guerra et al. reference a first microprocessor and a second microprocessor, or of first and second emulation hardware, in combination with its Sun Ultra2 system.

The Examiner later asserted that the reference teaches "hardware execution structures, the first simulator as the ISA DSP and second simulator as co-verification", referring to the models

<sup>Office Action, supra, page 7.
Guerra et al., supra, page 968, last paragraph.</sup>

executed by the Guerra et al. system.³⁰ Appellants submit, however, that these simulators are models, and not microprocessors. A simulator of a microprocessor is not a microprocessor. Models are not hardware, but are software. As such, two distinct models are not two distinct hardware systems. And therefore, the two models of the Guerra et al. reference do not teach the first and second microprocessors of the claim.

For this reason, Appellants submit that claim 15 is novel over the Guerra et al. reference, because at least four specific structures required by the claim are not taught by the reference.

(b) The reference does not teach the first and second instruction set architectures, according to which the first and second emulation hardware respectively control the first and second microprocessors

As discussed above, the Guerra et al. reference is directed solely to a simulation system for modeling and verifying software for a particular DSP,³¹ with the results of this model that are analyzed, or compared against the results of other models, in performing the verification method disclosed in the Guerra et al. reference.³² Examples of models compared in the Guerra et al. reference include an instruction set architecture (ISA) model against a gate/RTL model.³³

Claim 15 also requires, as mentioned above, that the first emulation hardware control the operation of the first microprocessor according to a first instruction set architecture, and that the second emulation hardware control the operation of the second microprocessor according to a second instruction set architecture. Appellants submit that the Guerra et al. reference also fails to disclose these limitations. Specifically, the Guerra et al. reference refers to only one instruction set architecture (ISA), namely that of the DSP architecture, which is being verified against a gate/RTL model (or mixed-level VHDL model).³⁴ As known in the art and as evident from the reference itself, the RTL model does not correspond to an "instruction set architecture". Accordingly, the reference fails to disclose the verification of model results between first and

³⁰ Advisory Action, supra.

³¹ Guerra et al., *supra*, page 965-67, §2 (*i.e.*, §§2.1 through 2.4).

³² See Guerra et al., supra, page 968, §4.1.

³³ Guerra et al., supra, page 964, right-hand column, ¶3.

second instruction set architectures (ISAs), much less disclose first and second emulation hardware that control operation according to these first and second instruction set architectures, respectively.

Appellants therefore submit that the Guerra et al. reference fails to disclose the first emulation hardware and the second emulation hardware of claim 15. And therefore, Appellants submit that the Guerra et al. reference fails to disclose a general purpose computer that is programmed to perform a method comprising the steps of causing the first emulation hardware to execute a first program at the first microprocessor, and of causing the second emulation hardware to execute a second program at the second microprocessor.

(c) The rejection of claim 15 is in error

For these reason, Applicants submit that the final rejection of claim 15 is in error, and that the claim is novel over the Guerra et al. reference. Reversal of the final rejection of claim15 is therefore respectfully requested.

* * * * *

³⁴ Office Action, *supra*; Guerra et al., *supra*, page 964, right-hand column; page 965, left-hand column, first two paragraphs.

For the foregoing reasons, therefore, Appellants respectfully submit that the final rejection under §102 of claims 1 through 3, 6, 8, 10, 13, and 15, as anticipated by the Guerra et al. reference, is in error. Reversal of the final rejection of the claims in this case is therefore respectfully requested.

Respectfully submitted,

Rodney M. Anderson

Registry No. 31,939

Attorney for Appellants

Anderson, Levine & Lintel, L.L.P. 14785 Preston Road, Suite 650 Dallas, Texas 75254 (972) 664-9554

CERTIFICATE OF MAILING 37 C.F.R. 1.8

The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

on December 30, 2005.

Rodney M. Anderson Registry No. 31,939